

IN THE CLAIMS:

Please amend the claims as indicated in the complete listing of pending claims listed below.

1. (Currently Amended) A computing system comprising:  
a network based application to access a datum in a network database across a network  
to generate ~~associated with an object~~; and  
a server to receive a request identifying the object from a non-network based  
application, ~~to call the network based application in response to the request,~~  
request, the server:  
to communicate with the network based application to dynamically access the  
~~object associated with the network based application~~ for the datum,  
and  
to transfer ~~a datum of the object~~ the datum to the non-network based  
application.
2. (Original) The computing system of claim 1, wherein the computing system includes  
a personal computer.
3. (Previously Presented) The computing system of claim 2, wherein the server and the  
network based applications are installed on the personal computer.
4. (Previously Presented) The computer system of claim 1, wherein the object includes  
the datum and a method to manipulate the datum.

5. (Previously Presented) The computer system of claim 4, wherein the server is to access the object to retrieve the datum.
6. (Previously Presented) The computer system of claim 5, wherein the server is to transmit the retrieved datum to the non-network based application.
7. (Currently Amended) A computer-implemented method for a server, comprising:  
receiving a request identifying an object ~~associated with~~ of a network based  
application from a non-network based application, the object including a  
datum obtained from a network database across a network by the network  
based application;  
~~calling the network based application in response to the request;~~ request:  
dynamically accessing the object for the datum through communicating  
~~associated with~~ the network based application; and  
transferring ~~a datum of the object~~ the datum to the non-network based  
application.
8. (Previously Presented) The computer-implemented method of claim 7, wherein the object includes the datum and a method to manipulate the datum.
9. (Previously Presented) The computer-implemented method of claim 8, wherein transferring the datum of the object further comprises:  
retrieving the datum of the object; and  
transmitting the retrieved datum to the non-network based application.

10. (Currently Amended) A server comprising:

means for receiving a request identifying an object ~~asseeiated with~~of a network based application from a third party application, the object including a datum obtained from a network database across a network by the network based application;

~~means for calling the network based application in response to the request;~~

means for dynamically accessing the object for the datum through communicating ~~associated with the network based application~~ for the request; and

means for transmitting the datum to the third party application as a response to the request.

11. (Original) The server of claim 10, wherein the server, the network based application and the third party application are installed on a personal computer.

12. (Original) The server of claim 10, wherein the network based application includes a World Wide Web site.

13. (Original) The server of claim 10, wherein the third party application includes a non-network based application.

14. (Original) The server of claim 10, wherein the third party application includes a network based application.

15. (Currently Amended) The server of claim 10, wherein the ~~network-based application~~ includes object is a JavaScript object.
16. (Original) The server of claim 10, wherein the server includes a programmatic interface to communicate with the object.
17. (Currently Amended) A machine-readable medium providing instructions, which if executed by a processor, causes the processor to perform a method for a server, comprising:  
receiving a request identifying an object ~~associated with~~ of a network based application from a non-network based application, the object including a datum obtained from a network database across a network by the network based application;  
~~calling the network-based application~~ in response to the request; request:  
dynamically accessing the object for the datum through communicating  
~~associated with~~ the network based application; and  
transferring ~~a datum of the object~~ the datum to the non-network based application.
18. (Previously Presented) The machine-readable medium of claim 17, wherein the object includes the datum and a method to manipulate the datum.
19. (Previously Presented) The machine-readable medium of claim 18, wherein transferring a datum of the object further comprises:

retrieving the datum of the object; and

transmitting the retrieved datum to the non-network based application.